

Bicycle Rim

Roading Racing/
Gravel/MTB/
Track/City Bike



 鼎镁科技

Go above and Beyond
Never stop challenging

D.MAG

To provide integrated solution for aluminium and magnesium alloy production. D.MAG always focus on the **New Process, New Technology, New Material** and New Production research and developing.



MFG Center 1 (PX plant)

Area: 120 acres

Plant Area: 80,000 m²

Products: Forged Part/Automotive wheel

Motorcycle wheel

CNC component

Bicycle Hub&Wheel



MFG Center 2 (NH plant)

Area: 400 acres

Plant Area: 260,000 m²

Products: Extrusion Profile

Motorcycle Rim

Bicycle Rim



MFG Center 3 (Hai'an plant)

Area: 150 acres

Plant Area: 100,000 m²

Products: Forged Wheel

Forged + Spinning Wheel

Precision Forged Parts

Bicycle Rim

Faster, Stronger, Lighter

The same faith both for Rider and Rim manufacture



Joint:

- Pin
- Sleeve-Lighter
- Welding-Stronger

Surface treatment:

- General Anodizing
- Sand Blasted Anodizing
- Micro-arc Oxidation

Material:

- 6061
- G609 - For High-intensity application

Our Team




World Brand
Focuses on Quality

— 100% Handmade —

VUELTA




CR56 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 475g |

SNL42 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld |
| FINISH | Post-Anodizing |
| MATERIAL | G609 |
| WEIGHT | 660g |

SNL37 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | G609 |
| WEIGHT | 560g |

CR41B ROAD




| | |
|----------|---------------|
| SIZE | 700C |
| JOINT | Sleeve |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 500g |

GR55 ROAD





| | |
|----------|---------------|
| SIZE | 700C |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 635g |

LL21 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 460g |

GSL24 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 505g |

S490 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 490g |

GR02A ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld/Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 535g |

GSR2 ROAD





| | |
|----------|---------------|
| SIZE | 700C |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 550g |

SL23 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 480g |

SL27A ROAD





| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 520g |

SL33A ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld/Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 545g |

GR06 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 530g |

CR31R ROAD




| | |
|----------|---------------|
| SIZE | 700C |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 650g |

GR25D ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 465g |

GR30V ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld/Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 520g |

GR35 ROAD





| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld/Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 565g |

GR35D ROAD





| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld/Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 575g |

GR42 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 640g |

GW17 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld/Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 470g |

GR11 ROAD





| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 465g |

GR12 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld/Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 505g |

GR13 ROAD





| | |
|----------|---------------|
| SIZE | 700C |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 528g |

GX11 ROAD




| | |
|----------|-------------------|
| SIZE | 26" / 650B / 700C |
| JOINT | Weld/Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 400g/415g/430g |

GR30 ROAD





| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld/Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 495g |

GX33 ROAD




| | |
|----------|---------------|
| SIZE | 700C |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 590g |

GX22 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Pin |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 525g |

GX41 ROAD




| | |
|----------|---------------|
| SIZE | 700C |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 575g |

SLX17 ROAD





| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 380g |

SNL24 ROAD





| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld/Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | G609 |
| WEIGHT | 480g |

VG14 ROAD





| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld/Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 460g |

VG15 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld/Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 450g |

GT01 ROAD




| | |
|----------|---------------|
| SIZE | 700C |
| JOINT | Sleeve |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 500g |

GT04 ROAD




| | |
|----------|---------------|
| SIZE | 700C |
| JOINT | Sleeve |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 495g |

GR40D ROAD





| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld |
| FINISH | Post-Anodizing |
| MATERIAL | G609 |
| WEIGHT | 640g |

CR21 ROAD




| | |
|----------|---------------|
| SIZE | 26" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 520g |

CR22 ROAD




| | |
|----------|---------------|
| SIZE | 26" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 545g |

CR22C ROAD




| | |
|----------|---------------|
| SIZE | 26" |
| JOINT | Sleeve |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 455g |

CR23 ROAD




| | |
|----------|---------------|
| SIZE | 26" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 540g |

CR54 ROAD




| | |
|----------|---------------|
| SIZE | 26" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 550g |

GX25A ROAD




| | |
|----------|---------------|
| SIZE | 700C |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 510g |

GX31 ROAD





| | |
|----------|---------------|
| SIZE | 700C |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 585g |

GX32 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 525g |

VG30 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld/Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 520g |

CR06B ROAD





| | |
|----------|---------------|
| SIZE | 26" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 505g |

CR18 ROAD




| | |
|----------|---------------|
| SIZE | 26" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 530g |

CR40D ROAD




| | |
|----------|---------------|
| SIZE | 700C |
| JOINT | Sleeve |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 540g |

CR61 ROAD




| | |
|----------|---------------|
| SIZE | 20" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 400g |

CR64 ROAD




| | |
|----------|---------------|
| SIZE | 26" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 540g |

CR70 ROAD




| | |
|----------|---------------|
| SIZE | 26" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 570g |

CR70C ROAD




| | |
|----------|---------------|
| SIZE | 26" |
| JOINT | Sleeve |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 545g |

GR19 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld/Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 530g |

GSK2 ROAD




| | |
|----------|---------------|
| SIZE | 700C |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 535g |

GXX2 ROAD




| | |
|----------|---------------|
| SIZE | 700C |
| JOINT | Sleeve |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 495g |

GT19 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld/Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 465g |

GX02 ROAD




| | |
|----------|---------------|
| SIZE | 26" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 545g |

GX02C ROAD




| | |
|----------|---------------|
| SIZE | 26" |
| JOINT | Sleeve |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 490g |

GX12 ROAD




| | |
|----------|-----------------|
| SIZE | 26"/650B / 700C |
| JOINT | Weld/Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 415g/440g/465g |

GX19 ROAD




| | |
|----------|---------------|
| SIZE | 26" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 520g |

GX06B ROAD




| | |
|----------|---------------|
| SIZE | 26" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 545g |

VTD07 ROAD




| | |
|----------|---------------|
| SIZE | 700C |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 600g |

GX28 ROAD




| | |
|----------|---------------|
| SIZE | 700C |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 550g |

VTD09 ROAD





| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 505g |

RR35 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 575g |

GT05 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 485g |

21D35 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 590g |

21D30 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 540g |

22D28 ROAD




| | |
|----------|----------------|
| SIZE | 700C |
| JOINT | Weld |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 540g |

22D30 ROAD




| | |
|----------|-----------------|
| SIZE | 700C |
| JOINT | Weld |
| FINISH | Post -Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 575g |

GT02 CROSS




| | |
|----------|---------------|
| SIZE | 29" |
| JOINT | Sleeve |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 490g |

GF02 CROSS




| | |
|----------|----------------|
| SIZE | 29"/27.5"/26" |
| JOINT | Weld/Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 485g/460g/435g |

GX09 CROSS




| | |
|----------|----------------|
| SIZE | 26" |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 445g |

GE21 CROSS




| | |
|----------|---------------|
| SIZE | 29" |
| JOINT | Sleeve |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 455g |

GW21 CROSS



| | |
|----------|----------------|
| SIZE | 29" |
| JOINT | Weld/Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 515g |

GX03 CROSS



| | |
|----------|---------------|
| SIZE | 26" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 515g |

GX03V CROSS



| | |
|----------|---------------|
| SIZE | 26" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 520g |

GX30 CROSS



| | |
|----------|---------------|
| SIZE | 29" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 550g |

SLF21 CROSS



| | |
|----------|----------------|
| SIZE | 29" |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 465g |

VG09B CROSS



| | |
|----------|----------------|
| SIZE | 27.5" |
| JOINT | Weld |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 450g |

VG12D CROSS




| | |
|----------|----------------|
| SIZE | 29" |
| JOINT | Weld |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 425g |

GT03 CROSS




| | |
|----------|---------------|
| SIZE | 29" |
| JOINT | Sleeve |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 505g |

GX36 CROSS





| | |
|----------|---------------|
| SIZE | 29" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 580g |

GX29 CROSS




| | |
|----------|---------------|
| SIZE | 29" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 555g |

SK19D CROSS




| | |
|----------|----------------|
| SIZE | 29" |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 515g |

GX37 CROSS




| | |
|----------|---------------|
| SIZE | 29" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 585g |

GX39 CROSS





| | |
|----------|----------------|
| SIZE | 29" |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 475g |

GX40 CROSS




| | |
|----------|----------------|
| SIZE | 29" |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 505g |

GX35 CROSS




| | |
|----------|---------------|
| SIZE | 29" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 550g |

GF05 CROSS




| | |
|----------|---------------|
| SIZE | 29" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 610g |

GX38 CROSS





| | |
|----------|----------------|
| SIZE | 29" |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 450g |

GF08 MTB




| | |
|----------|----------------|
| SIZE | 27.5" |
| JOINT | Weld/Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 550g |

GE23 MTB




| | |
|----------|---------------|
| SIZE | 29"/27.5" |
| JOINT | Sleeve |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 490g/460g |

GX34 MTB




| | |
|----------|---------------|
| SIZE | 29" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 595g |

SP23 MTB




| | |
|----------|----------------|
| SIZE | 29" |
| JOINT | Weld |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 600g |

SLF23 MTB




| | |
|----------|----------------|
| SIZE | 29" |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 510g |

CR15 MTB




| | |
|----------|---------------|
| SIZE | 20" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 470g |

DH520A MTB




| | |
|----------|---------------|
| SIZE | 26" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 535g |

GW24 MTB





| | |
|----------|----------------|
| SIZE | 29" |
| JOINT | Weld |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 490g |

X-51A MTB




| | |
|----------|----------------|
| SIZE | 27.5" |
| JOINT | Weld |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 565g |

CR68C MTB




| | |
|----------|----------------|
| SIZE | 26" |
| JOINT | Weld |
| FINISH | Post-Anodizing |
| MATERIAL | G609 |
| WEIGHT | 430g |

GE25 MTB




| | |
|----------|----------------|
| SIZE | 29"/27.5" |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 520g/490g |

VG18 MTB




| | |
|----------|-----------------|
| SIZE | 27.5" |
| JOINT | Weld/Sleeve |
| FINISH | Post -Anodizing |
| MATERIAL | G609 |
| WEIGHT | 525g |

CR52 MTB




| | |
|----------|---------------|
| SIZE | 26" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 630g |

GE27 MTB




| | |
|----------|----------------|
| SIZE | 27.5" |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 530g |

GD07 MTB




| | |
|----------|---------------|
| SIZE | 26" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 550g |

GD28 MTB




| | |
|----------|----------------|
| SIZE | 27.5" |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 530g |

GE30 MTB




| | |
|----------|-----------------|
| SIZE | 27.5" |
| JOINT | Weld/Sleeve |
| FINISH | Post -Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 560g |

GH30 MTB




| | |
|----------|----------------|
| SIZE | 27.5" |
| JOINT | Weld |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 585g |

GD30




| | |
|----------|----------------|
| SIZE | 27.5" |
| JOINT | Weld |
| FINISH | Post-Anodizing |
| MATERIAL | G609 |
| WEIGHT | 550g |

GD35




| | |
|----------|-----------------|
| SIZE | 27.5" |
| JOINT | Weld |
| FINISH | Post -Anodizing |
| MATERIAL | G609 |
| WEIGHT | 595g |

GW35




| | |
|----------|---------------|
| SIZE | 27.5" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 670g |

GP35




| | |
|----------|---------------|
| SIZE | 27.5" |
| JOINT | Pin |
| FINISH | Pre-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 730g |

GE35




| | |
|----------|----------------|
| SIZE | 27.5" |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 590g |


FM40




| | |
|----------|----------------|
| SIZE | 27.5" |
| JOINT | weld/Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 630g |




| | |
|----------|----------------|
| SIZE | 27.5" |
| JOINT | Sleeve |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 700g |



| | |
|----------|----------------|
| SIZE | 26" |
| JOINT | weld |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 800g |



| | |
|----------|----------------|
| SIZE | 26" |
| JOINT | weld |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 1250g |



| | |
|----------|----------------|
| SIZE | 26" |
| JOINT | weld |
| FINISH | Post-Anodizing |
| MATERIAL | 6061 |
| WEIGHT | 1290g |

Tel: 86-512-57639000

Fax: 86-512-57639001

E-mail: company@giant-alloy.com

Add: No.118 south of PengXi Road, Kunshan City, Jiangsu Province



BicycleRim

格物致知 止于至善

科技创新 追求超越

